

Invoice to:	
Name:	
Street:	
Town:	Postal code:
Country:	
Tel:	Fax:
Order date:	
Purchase order:	

Deliver to:	
Name:	
Street:	
Town:	Postal code:
Country:	
Tel:	Fax:
Marked for:	

Base Price £5,274

 Email: orders@sunmed.co.uk

Fax number: +44 (0)845 605 66 89






Part No. 21200000-000 QPA01
Maximum user weight limit 140kg (22 Stone)

Standard Features (Salsa R ²)		Seating Standard Options
<ul style="list-style-type: none"> ● Rear wheel drive base ● 12.5" drive wheels ● Drive wheel suspension ● 60Ah batteries ● 60cm overall width (with 12" wheels) 	<ul style="list-style-type: none"> ● Red, Blue or White Shroud ● Motor/wheel disengagement ● Transportation approved ● Width, height & depth adjustable seat ● Flip back, angle, height & depth adj. arms 	<ul style="list-style-type: none"> ● Tension adj. backrest sling ● 70° swing-away legrests ● Angle & depth adjustable footplates ● Adjustable lap strap ● Height and angle adjustable backrest

STANDARD SEAT: FRAME / SEAT SIZE			
Width Setting		Depth setting	
SW41 ○	41cm (16")	SD41 ○	41cm (16")
SW43 ○	43cm (17")	SD43 ○	43cm (17")
SW46 ○	46cm (18")	SD46 ○	46cm (18")
SW48 ○	48cm (19")	SD48 ○	48cm (19")
SW51 ○	51cm (20")	SD51 ○	51cm (20")
STR020114 : Adjustable Seating System Seat frame is fully adjustable from 41cm to 51cm (16" - 20") in width and depth. Independently adjustable in 2.5cm (1") increments			£

STANDARD SEAT: CUSHION		
STR020109	● Firm seat board	(standard with standard seat)
STR020111	○ 5cm (2") standard foam cushion 41cm (16") wide	(used for seat width 41 - 46cm)
STR020112	○ 5cm (2") standard foam cushion 48cm (19") wide	(used for seat width 48 - 51cm)
STR020110	○ Omit seat cushion	

JAY SEAT DIMENSION										
		Width								
		41	43	46	48	51				
Depth	41	□	□	□	□	■	JAY020006	□ JAY Easy Visco, Flat Base		132
	43	□	□	□	□	□	JAY020005	□ JAY Easy Fluid, Flat Base		308
	46	□	□	□	□	□	JAY020010/12	□ JAY Balance Air	(single valve, microclimatic cover)	503
	48	□	□	□	□	□	JAY020011/13	□ JAY Balance Fluid	(microclimatic cover)	468
	51	■	■	□	□	□	JAY020014/16	□ JAY Balance Air, Positioning	(single valve, microclimatic cover)	568
							JAY020015/17	□ JAY Balance Fluid, Positioning	(microclimatic cover)	533
							JAY020019	□ JAY J2		492
							JAY020020	□ JAY J2 Deep Contour		525

JAY COMFORT SEAT			
    			
JCL020011	□ Comfort seat pan, without threshold	(thickness 2cm)	51
JCL020012	□ Comfort seat pan, with 5cm (2") threshold	(thickness 2cm)	84
JCL020003	□ Standard cushion - stretched rubber upholstery	(thickness 8cm)	155
JCL020007	□ Optimum comfort - stretched rubber upholstery	(anatomically formed - thickness 9cm)	199

● = Standard ○ = No cost option □ = Cost option

SEATING OPTION - SELECT SEAT POSITIONING OPTION WITH ASSOCIATED SEAT HEIGHT						£
SEAT POSITIONING OPTION		12.5" Drive Wheels		14" Drive Wheels		Option Price
		Low Seat Height <i>(No Extension Kit)</i>	Tall Seat Height <i>(Inc Extension Kit - SAL090022)</i>	Low Seat Height <i>(No Extension Kit)</i>	Tall Seat Height <i>(Inc Extension Kit - SAL090022)</i>	
SAL130001	Manual adjustable single pivot tilt (3° preset)	○ 42cm (16.5")	N/A	○ 43cm (17")	N/A	
SAL130002	Manually adjustable C.O.G Tilt (3° preset)	○ 44cm (17.3")	○ 47cm (18.5")	○ 45cm (17.7")	○ 48cm (19")	
SAL130003	Powered single pivot tilt 3° to 20°	□ 42cm (16.5")	N/A	□ 43cm (17")	N/A	459
SAL130004	Powered C.O.G Tilt: 0° to 30°	□ 46cm (18")	□ 49cm (19.5")	□ 47cm (18.5")	□ 50cm (20")	703
SAL130005	Powered negative C.O.G tilt: -5° to 25°	□ 46cm (18")	□ 49cm (19.5")	□ 47cm (18.5")	□ 50cm (20")	848
SAL130006	Powered lift & tilt: 30cm lift, 30° tilt	□ 47cm (18.5")	□ 50cm (20")	□ 48cm (19")	□ 51cm (20.5")	1888
BACKREST RECLINE						
STR030018	○ Mechanical fixed recline back	(-4° to 16°)				
STR030025	□ Manual adjustable recline back	(Attendant operation only - gas strut, -5° to 30°, 41 to 46 cm or 48 to 51 cm depth adjustment range)				228
STR030026	□ Powered recline back	(-5° - 30°, 41 to 46 cm or 48 to 51 cm depth adjustment range)				455
STANDARD BACKREST						
STR030300	○ Omit Backrest Upholstery	(Chair supplied with NO back upholstery option)				
STR030301	○ Tension adj. sling backrest (48cm /19" height)	(2.5cm up and down adjustment, with std foam cushion only)				
Backrest Height Setting		BH46* ○ 46cm (18")	BH485 ○ 48.5cm (19")	BH51 ○ 51cm (20")		
* Not available with manual or power reclining back						
SB43886	□ Solid covered backrest	(Available via B4me department)				POA
Backrest Height Setting		○ 50cm (19.5")	○ 57cm (22.5")			
JAY SHAPE BACKREST - MAX USER WGT 135KG						
(Premium tension adjustable backrest upholstery - Not available on SW 51cm)						
JAY080001	□ JAY SHAPE Backrest	(Not available in 51cm Seat Width)				193
JAY080002	□ JAY SHAPE Backrest - Oversized (Supplied 1" larger than seat width to allow greater immersion)	(N/A in 48 or 51cm Seat Width)				193
Back Height Setting		BH46 ○ 46cm (18")	BH485 ○ 48.5cm (19")	BH51 ○ 51cm (20")		
		BH535 ○ 53.5cm (21")	BH56 ○ 56cm (22")	BH585 ○ 58.5cm (23")	BH61 ○ 61cm (24")	
JAY080010	□ JAY SHAPE Lateral Thoracic supports (Pair) - Support 15 x 15 cm (Pair)					193
JAY080011	□ JAY SHAPE Lateral Thoracic supports (Pair) - Support 10 x 12 cm (Pair)					193
JAY COMFORT BACKRESTS						
JCL030004	□ Shallow contour (standard velour) - 50cm back height	(hard back)				153
JCL030008	□ Shallow contour (standard velour) - 57cm back height	(vertical elastic straps)				222
JCL030006	□ Shallow contour (standard velour) - 57cm back height	(horizontal tension adjustable straps)				222
JCL030012	□ Deep contour - passive - 57cm back height	(horizontal tension adjustable straps)		(4" Integrated lateral support)		257
JCL030010	□ Deep contour - active - 57cm back height	(horizontal tension adjustable straps)		(4" integrated lumbar lateral support)		257
LATERAL SUPPORTS						
STR030601	□ Lateral supports short (pair)	(Recommended for TA backrests)				295
STR030602	□ Lateral supports long (pair)	(Recommended for JAY Comfort backrests)				295
JAY3 BACKRESTS						
J3 Back - Shallow Contour						
Upper Thoracic:	□	JAY030012 Short - 42 cm	□	JAY030019 Medium - 46 cm	□	JAY030025 Tall - 50 cm 572
Shoulder Height:	□	JAY030015 Short - 53 cm	□	JAY030022 Medium - 57 cm	□	JAY030028 Tall - 61 cm 572
J3 Back - Mid Contour						
Upper Thoracic:	□	JAY030013 Short - 42 cm	□	JAY030020 Medium - 46 cm	□	JAY030026 Tall - 50 cm 572
Shoulder Height:	□	JAY030016 Short - 53 cm	□	JAY030023 Medium - 57 cm	□	JAY030029 Tall - 61 cm 572
J3 Back - Deep Contour						
Upper Thoracic:	□	JAY030014 Short - 42 cm	□	JAY030021 Medium - 46 cm	□	JAY030027 Tall - 50 cm 627
Shoulder Height:	□	JAY030017 Short - 53 cm	□	JAY030024 Medium - 57 cm	□	JAY030030 Tall - 61 cm 627
J3 Back - Posterior Deep Contour						
Upper Thoracic:		□	JAY030031 Medium - 46 cm	627		
Shoulder Height:	□	JAY030032 Short - 53 cm	627			
JAY3 HEADRESTS						
JAY030006	□ Jay Std. Headrest (J3EUHDXH & J3EUHDLSP)	(only with J3 backs)				129
JAY030004	□ Jay Flip Back Headrest (J3EUHDFH & J3EUHDLSP)	(only with J3 backs)				239

● = Standard ○ = No cost option □ = Cost option				£
STANDARD HEADRESTS				
STR030416	□	Comfort headrest (Winged style with adj. side pads)	(Mounted via push handles)	188
STR030417	□	Curved headrest (23 x 11cm / 9" x 4.5" pad)	(Mounted via push handles)	188
JCL040001	□	Jay Comfort: standard comfort seating headrest	(Mounted via Comfort backrest)	196
JCL040002	□	Jay Comfort: flexible comfort seating headrest (winged style)	(Mounted via Comfort backrest)	221
ARMRESTS				
STR040122	○	Flip-up armrest (height, angle adjustable)	(Height Angle and depth adjustable via outside of armrest)	
STR040127	□	Reclining flip-back armrest	(Armrest stays level when backrest Reclines)	185
STR040126	□	Single post armrest	(2" inward width adjustment via sideguard and armpad / 4" depth adjustment via sideguard)	233
ARMPADS				
STR040112	○	Standard Armpad - 385 x 60mm pad		
STR040113	□	Contoured Armpads 41cm (16")		62
STR040114	□	Jay Comfort Padded Armpad 41cm (16")		122
STR040118	□	Jay Comfort P-Shaped Padded Armpad 45 cm (18")	(Only available with Single Post Armrest)	171
STR040119	□	Hemi Armpad (Medium forearm pad & Small hand Pad) 28cm (11")	Pad 11 x 18cm (4.5" x 7")	441
POSITIONING ITEMS				
STR030604	□	Lateral Thigh Guide/Support	(4" Depth adjustment / 2" inward width adjustment) (Not available with Single post Armrest)	171
STR030605	□	Pommel	(Height / depth adj. / Quick release removable) (Not available with centre mount legrests)	208
LEGRESTS & FOOTPLATES				
STR050040	○	Standard hanger receivers	(Comes standard, with 70 degree s/a hangers, not with Uni style)	
STR050041	○	Offset hanger receivers	(20mm outwards offset each side, comes std with all ELR and ALR hangers, not with Uni style)	
STR050015	○	70° swing-away legrests		
XL0025	○	Uni style hangers and footplates	(Available via B4M - (LLL 32-47cm (12.5"-18.5"). Not available with 0° tilt options)	
STR050016	□	Manual elevating legrest		293
STR050017	□	Powered elevating legrest		538
STR050018	□	Powered articulating legrest		767
STR050036	●	Extension Tube - (Lower leg length: 34cm - 48cm / 13" - 19")	(measured from seat pan to footplate)	
OPTIONS FOR MANUAL AND POWER ELEVATING LEGRESTS				
STR050038	□	Comfort calf pads	(Not available with centre mount or 70° legrests)	110
STR050039	□	Auto connector hanger receivers		131
FOOTPLATES (FOR SWING AWAY LEGRESTS)				
STR050022	○	Aluminium angle and depth adjustable		
STR050023	□	Footboard (flip-up)	(Only available with 70° swing-away legrests)	131
VR2 CONTROLS (70A ON 6KPH, 90A ON 10KPH)				
SAL030050/1	○	VR2 remote	(Remote type selected according to options chosen)	
STR110020	□	VR2 attendant only	(For attendant only VR2 controls option above must be selected also)	112
STR110021	□	VR2 dual control (mounted RH)	(For dual control VR2 remote must be selected also)	527
R-NET CONTROLS (FOR SPECIAL CONTROLS OPTIONS SEE PAGE 5)				
STR110015/6	□	R-net LED remote	(Remote type selected according to options chosen)	503
STR110017	□	R-net colour LCD remote	(Integrated colour display with 2 stereo jack inputs for buddy buttons)	706
STR110020	□	R-net attendant only (mounted RH)	(For attendant only R-net LED/LCD remote must be selected also)	112
STR110021	□	R-net dual control (mounted RH)	(For dual control R-net LED/LCD remote must be selected also)	527
SAL090062	□	Swing-away tray mounted centre control	(R-Net LED as standard, VR2 via B4M)	471
STR110009	□	Gyro Control		321
SAL090068	□	R-net Bluetooth control module	(Compatible with Windows PC and Android systems only)	739
CONTROL MOUNTING OPTIONS				
		Parallel swing-away controller mount	STR110052 RH ○ ○ LH STR110053	
SAL090062	□	Swing-away tray mounted centre control R-NET LED	(Mounted RH Flip Away)	509
SAL110143	□	Swing-away tray mounted centre control R-NET LCD	(Mounted RH Flip Away)	1873
B4M	□	Centre Bar flip-up controller mount	(B4M Option / (Mounted RH Flip away)	POA

● = Standard		○ = No cost option		□ = Cost option		£	
LIGHTS & INDICATORS							
SAL110201	□	LED lights & indicators (STVZO APPROVED)				461	
SAL020001	□	LED lights & indicators - Standard				461	
KERB CLIMBER							
SAL090038	□	Kerb climber				176	
WHEELS & CASTORS							
STANDARD CASTORS							
SAL080307	○	9" solid castors					
SAL080308	○	10" solid castors					
SAL080309	○	10" pneumatic castors					
STANDARD REAR WHEELS							
SAL070029	○	12.5" solid drive wheels		(60cm / 24" overall chair width - Use only with 9" castors)			
SAL070030	○	12.5" pneumatic drive wheels		(60cm / 24" overall chair width - Use only with 9" castors)			
SAL070031	○	14" solid V-type drive wheels		(61cm / 24.5" overall chair width)			
SAL070032	○	14" pneumatic V-type drive wheels		(61cm / 24.5" overall chair width)			
SAL070033	□	14" solid knobby drive wheels		(62cm / 25" overall chair width)		92	
SAL070034	□	14" pneumatic knobby drive wheels		(62cm / 25" overall chair width)		92	
MOTOR SPEED							
SAL100602	○	3.2kph (2mph indoor setting)		(6kph motor with reduced speed via programming)			
SAL100601	○	6kph (4mph) 2 Pole Motors					
SAL100603	□	10kph (6mph) 2 Pole Motors		(Lights and rear review mirror required by law)		316	
SAL100604	□	10kph (6mph) 4-pole High Torque Motors		(Lights and rear review mirror required by law) (Requires 120Amp Power Module)		390	
COLOUR							
SAL140001	○	White					
SAL140003	○	Blue					
SAL140002	○	Red					
BATTERIES							
SAL160001	○	60Ah gel batteries		SAL160002	□	70Ah gel batteries	122
CHARGER							
SAL160100	●	8A Charger					
ACCESSORIES							
SAL090000	●	Transportation tie down points					
SAL090005	●	Adjustable lap strap					
SAL090040	□	Swing-away tray table 41- 48cm				188	
SAL090041	□	Swing-away tray table 46 - 51cm				188	
SAL090069	□	Bluetooth USB mouse receiver		(if there is no Bluetooth function on the computer)		72	
SAL090067	□	Rear view mirror				42	
SAL090003	□	Crutch holder				66	
TRANSPORTATION OPTIONS							
SAL090039	●	Prepared for Dahl docking station option					
QUICKIE SALSA R ² BASE PRICE						£5,274	
Option Price						£	
VAT						£	
Total Price						£	

● = Standard ○ = No cost option □ = Cost option



QUICKIE[®] SALSA R/M SPECIAL CONTROLS

				£
R-NET SPECIAL CONTROLS				(R-NET OMNI required; 2 buddy buttons recom.)
STR110101	<input type="checkbox"/>	R-Net OMNI colour display & special control input module		946
STR110102	<input type="checkbox"/>	OMNI in scanning mode		946
Front control mountings				
STR110110	<input checked="" type="checkbox"/>	R-NET OMNI Flexi mount only		
		Left	Right	
		STR110121 <input type="radio"/>	<input type="radio"/> STR110122	
SPECIAL JOYSTICKS AS HAND CONTROL				(R-NET OMNI required; 2 buddy buttons recommended.)
STR110130	<input type="checkbox"/>	Switch-It Versaguide proportional joystick as hand control		1828
STR110131	<input type="checkbox"/>	Switch-It Micro Guide as hand control		2458
STR110132	<input type="checkbox"/>	Switch-It Micro Pilot (0 way) joystick as hand control		2710
Mounting				
STR110150	<input type="radio"/>	Fixed front mount		
STR110151	<input type="checkbox"/>	Swing-away front mount		64
		Left	Right	
		STR110161 <input type="radio"/>	<input type="radio"/> STR110162	
<div><div></div><div>STR110101</div><div></div><div>STR110131</div><div></div><div>STR110130</div><div></div><div>STR110132</div></div>				
SPECIAL HEAD RELATED INPUT DEVICES				
(if you have already chosen a standard headrest then switch-It head array is not possible)				
STR110133	<input type="checkbox"/>	Switch-It 3 switch head array / adult (5 switch and other versions available via B4M) (OMNI required, 2 BB recommended)		3718
STR110134	<input type="checkbox"/>	Switch-It Micro Pilot (0 way) joystick as chin control (OMNI required, 2 BB recommended)		2710
STR110135	<input type="checkbox"/>	Proportional chin control (proportional joystick; OMNI required; 2 BB recommended)		946
STR110136	<input type="checkbox"/>	Sip & Puff control (tube and mouthpiece; OMNI required; 2 BB recommended)		316
STR110137	<input type="checkbox"/>	Switch-It Micro Guide as chin control (OMNI required, 2 BB recommended)		2458
STR110138	<input type="checkbox"/>	Switch-It proportional head control (OMNI required, 2 BB recommended)		3467
STR110139	<input type="checkbox"/>	Switch-It Versaguide proportional joystick as chin control (OMNI required, C/W Switch-It flex switch kit)		1955
<div><div></div><div>STR110139</div><div></div><div>STR110133</div></div>				
CHIN CONTROL / SIP AND PUFF SWING-AWAY MOUNTING OPTIONS				
STR110152	<input type="checkbox"/>	Manual s/a option		246
	<input type="radio"/>	Powered s/a option (select type below) (not available with forus attendant control; s/a operation through separate switch)		
		Left	Right	
		STR110161 <input type="radio"/>	<input type="radio"/> STR110162	
STR110153	<input type="checkbox"/>	Operated with Piko button (operated via one Piko button - select colour below)		1828
STR110154	<input type="checkbox"/>	Operated with ribbon switch		1955
<div><div></div><div>Powered swing-away chin option</div><div></div><div>Piko buttons</div></div>				
PIKO BUTTONS (Ø 3 cm)				per switch
STR110191	<input type="checkbox"/>	Red	x 1	94
STR110192	<input type="checkbox"/>	Red	x 2	94
STR110193	<input type="checkbox"/>	Green	x 1	94
STR110194	<input type="checkbox"/>	Green	x 2	94
STR110195	<input type="checkbox"/>	Yellow	x 1	94
STR110196	<input type="checkbox"/>	Yellow	x 2	94
STR110197	<input type="checkbox"/>	Blue	x 1	94
STR110198	<input type="checkbox"/>	Blue	x 2	94

JAY COMFORT SEAT OPTIONS & ACCESSORIES

JAY COMFORT

Seat pan, with 5cm (2") threshold



Upholstered wooden seat board complete with 5cm (2") front and rear threshold. Ideal for supporting air filled cushions.

Standard comfort cushion



This cushion has a 12mm (1/2") beech wood base with a slightly contoured foam cushion, featuring a 2cm (3/4") seat angle designed to aid client in front transfers.

Optimum comfort cushion



The Optimum comfort cushion provides additional contouring and support for increased user positioning. A built-inommel, thigh guides and a seat well for optimum comfort and positioning.

Shallow contour backrest Hard back, vertical strap or tension adj. straps



Anatomically shaped with a shallow contour and padded for extra comfort. Available as a solid wooden backrest, vertical strap option or with tension adjustable straps for posture management. Solid back height 50cm, vertical strap back and tension adjustable height 57cm.

Deep contour backrest - active



This back features tension adjustable straps for posture management and a 4" deep contour providing integrated lateral support around the lower back, tapering away at the shoulders so as not to restrict active users. - 57cm back height.

Deep contour backrest - passive



Similar to the Deep Contour active backrest, this features tension adjustable straps and a 4" deep contour continuing up the whole of the backrest, ideal for clients with restricted movement. - 57cm back height.